

Weight Management Medications Cost Comparison Chart

Recommendations for Weight Management¹

Lifestyle Interventions: Diet, exercise, and behavior modification are the preferred methods for treatment of adults who are overweight or obese.

Medications: Pharmacologic therapy, which can produce short-term weight loss, should be reserved for patients with a BMI \geq 30, or a BMI \geq 27 and a weight-related comorbidity such as hypertension, dyslipidemia, or type 2 diabetes. Phentermine/topiramate ER (Qsymia) is the most effective FDA-approved weight loss drug available to date.

Devices: Devices such as the vagal blocking device, gastric aspiration device, and gastric balloons have produced short-term weight loss.

Surgery: Bariatric surgery has been the most effective treatment for long-term weight loss and reduction of obesity-related comorbidities.

Pregnancy: Weight loss drugs, including over-the-counter medications, are not recommended for use during pregnancy.

pregnancy.											
Brand Name	Generic Name	Strength	GoodRx Price/Unit	GoodRx Price/30 Days							
Lipase Inhibitor											
Alli available as OTC	orlistat	60mg cap	\$ 0.53	\$50.35/90							
Xenical		120mg cap	\$ 7.59	\$780.55/90							
2.5-3.4 kg mean weight loss/35-73% patients with weight loss ≥5%¹											
Sympathomimetic Amines											
Didrex	benzphetamine	25mg tab	\$ 0.67	\$40.05/60							
		50mg tab	\$ 0.41	\$36.93/90							
Lomaira		8mg tab	\$ 0.28	\$25.08/90							
Adipex-P	phentermine	15mg cap	\$ 0.47	\$13.95/30							
		30mg cap	\$ 0.52	\$15.63/30							
		37.5mg cap	\$ 0.37	\$11.13/30							
		37.5mg tab	\$ 0.55	\$16.45/30							
Tepanil/	diathylayanian	25mg tab	\$ 0.22	\$20.13/90							
Tenuate	diethylpropion	75mg ER tab	\$ 0.63	\$18.84/30							
Bontril PDM	phondimetratine	35mg tab	\$ 0.14	\$8.46/60							
Bontril	phendimetrazine	105mg ER cap	\$ 0.87	\$26.08/30							
Most studies have reported an additional weight loss of only a fraction of a pound/week compared to placebo-treated patients ¹											
Sympathomimetic Amine/Antiepileptic Combination											
Qsymia	phentermine/	7.5/46mg ER cap	\$ 6.66	\$199.70/30							
	topiramate ER	15/92mg ER cap	\$ 7.12	\$213.63/30							
4.1-10.7 kg mean weight loss/45-70% patients with weight loss ≥5%¹											

Opioid Antagonist/Antidepressant Combination											
Contrave	naltrexone/bupropion		8/90mg ER tab		\$ 4.41			\$264.86/60			
3.7-5.2 kg mean weigh											
Glucagon-Like Peptide-1 (GLP-1) Receptor Agonist											
Saxenda	liraglutide SubQ		18mg/3mL pen \$		\$ 2	278.27 \$		31,391.34/5			
Titration Schedule											
	Dose										
1			0.6mg								
2			1.2mg								
3			1.8mg								
4			2.4mg								
	5 and Onward		3mg								
3.7-5.8 kg mean weight loss/44-62% patients with weight loss ≥5%¹											
Wegovy	semaglutide	SubQ									
Titration Schedule											
Weeks	Total Strength per Total Volume	Dose p	er Pen	Carto Conte		Cost/	Pen	Cost			
Weeks 1-4	0.25 mg/0.5 mL	1 dose of	0.25 mg	4 pe	oens						
Weeks 5-8	0.5 mg/0.5 mL	1 dose o	f 0.5 mg	4 pe	ns						
Weeks 9-12	1 mg/0.5 mL	1 dose of 1 mg		4 pe	ns	\$ 347	.84	\$1,391.34/4			
Weeks 13-16	1.7 mg/0.75 mL	1 dose o	dose of 1.7 mg		ns						
Weeks 17-20	2.4 mg/0.75 mL	1 dose o	f 2.4 mg	4 pe	ns						
Usual dose is 2.4mg once/wk.											
			n Receptor A		I						
Imcivree	setmelanotid		10mg/mL		-		\$3,393.05/vial				
	Titration Sche	dule - Adults	s and Childre	n 12 ye	ears a	and olde	er				
	2 mg (0.2 mL) daily										
We	3 mg (0.3 mL) daily										
	Titration	Schedule - C	children 6 yea	ars to <	12 y	ears					
	Weeks 1-2			:	1 mg	(0.1mL) d	aily				
Weeks 3	_		crease the dose to 2 mg (0.2 mL) once daily.								
and	If the 2 mg once daily dose is not tolerated, reduce to 1 mg (0.1 mL) once daily.										
Onward	If the 2 mg once daily dose is tolerated and additional weight loss is desired, the dose may be										
0 1 6	increased to 3 mg	<i>,</i> ,					10000	O) 1 (' '			
	the following rare genetics subtilisin/kexin type 1 (F						in (POM	c) aeticiency,			
proprotein convertase subtilisin/kexin type 1 (PCSK1) deficiency, and leptin receptor (LEPR) deficiency Oral Hydrogel Device											
	Plenity		2.25g/3		Ś	3.50	\$9	8.00/28 days			
FDA cleared to use				-~ r	Υ	2.55	73	<u>,, .</u>			
Used as adjunct to diet and exercise in adults with BMI of 24-40 kg/m2 ³											
Taken twice daily, 20-30 minutes before lunch and dinner with at least 16 ounces of water ³											

Items in green are available as generics. Medications in red are available as brands only.

Sources: *GoodRx (GRx) accessed 12/1/22

<u>www.goodrx.com</u> is a source of cash prices and includes coupons for generics, links to manufacturer brand assistance programs and other sources of prescription drug assistance. Prices listed are available <u>through App or with coupon</u> – price subject to change and is pharmacy specific.

1) Diet, Drugs, Devices, and Surgery for Weight Management. Med Lett Drugs Ther. 2018 Jun 4;60(1548):91-8

2) Semaglutide (Ozempic) for Weight Loss. Med Lett Drugs Ther. 2021 Apr 5;63(1621):53-4

Sources

3) Plenity for Weight Management. Med Lett Drugs Ther. 2021 May 17;63(1624):77-8